



STATE OF MAINE  
Department of Public Safety  
Office of State Fire Marshal  
52 State House Station  
Augusta, ME 04333-0052

JANET.T. MILLS  
GOVERNOR

MICHAEL SAUSCHUCK  
COMMISSIONER

JOSEPH E. THOMAS  
STATE FIRE MARSHAL

## Tents

August 11, 2020

### Code Compliance

NFPA (National Fire Protection Association) 101 Life Safety Code and NFPA 1 Fire Code have been adopted within the State of Maine and currently we follow the 2018 version. The code has specific requirements for the use of tents. Due to the current situation our office is issuing the following allowances until 1/1/21. Local municipalities may be more stringent than the following. The following items are a few basic requirements for a tent to be used at a school.

- Tents are permitted for temporary use only (Less than 180 days).
- Tent fabric shall comply with NFPA 701 (fire retardant).
- Tents shall be located 10' from any building and separated from other tents to allow emergency egress.
- There shall be no flammable or combustible material within 10' of any tent.
- Portable fire extinguishers shall be furnished and maintained.
- All wiring to comply with NFPA 70 (National Electrical Code).
- Any heating device shall be listed and approved for such use.
- If the tent has sides installed it shall be approved by the local AHJ or Office of State Fire Marshal.

---

PREVENTION \* MITIGATION/ SUPPRESSION \* LAW ENFORCEMENT

OFFICES LOCATED AT: 45 COMMERCE DRIVE, SUITE 1, AUGUSTA, MAINE 04330  
(207) 626-3870 ADMINISTRATION/ INVESTIGATIONS (207) 287-3659 TDD  
(207) 626-3880 INSPECTIONS/ PLANS REVIEW (207) 287-6251 FAX